

**Reply Under 37 CFR 1.116  
Expedited Procedure  
Technology Center 3762**

**IN THE  
UNITED STATES PATENT AND TRADEMARK OFFICE**

---

<b>Appl. No.</b>	<b>:</b>	10/560,289	<b>Confirmation No.</b>	<b>:</b>	3187
<b>Applicant</b>	<b>:</b>	Benkowski, R.J.	<b>Assignee</b>	<b>:</b>	MicroMed Technology, Inc.
<b>Filed</b>	<b>:</b>	May 26, 2006	<b>Title</b>	<b>:</b>	Method and System for Physiologic Control of a Blood Pump
<b>TC/A.U.</b>	<b>:</b>	3762			
<b>Examiner</b>	<b>:</b>	Narayanaswamy, S.			
<b>Docket No.</b>	<b>:</b>	0021906-024US			
<b>Customer No.</b>	<b>:</b>	22904			

---

Mail Stop AF  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT AFTER FINAL OFFICE ACTION**

Sir:

In response to the Final Office Action mailed on August 19, 2010, please amend the subject application as set forth herein pursuant Rule 116(b)(2) & (3). This Amendment is filed within two (2) months of the mailing date of the Office Action and, therefore, a timely Advisory Action is earnestly solicited. Furthermore, because this Office Action was improperly made final, Assignee respectfully requests the finality thereof to be withdrawn.

Reconsideration and allowance of this application is respectfully requested in light of the arguments and amendments presented herein.

**Amendments to the Specification** begin on page 2 of this paper.

**Amendments to the Claims** are reflected in the listing of claims beginning on page 4.

Assignee's **Remarks/Arguments** begin on page 6 of this paper.